



Representative Image

### Catalog No. TL18415C

Description: MAIN LUG 150A 18CRT COMBO LD CENTER

UPC No 783164189896

Home > Load Centers > Load Centers

Main lug load centers can be used as a home's main panel or sub panel depending upon your preferences. All ABB load centers are rated up to 60 degree/75 degree centigrade and is suitable for use with service entrance equipment when installed in accordance with electrical code. The TL18415C features space for 18, 1" breakers, 3 phases, a 150 A bus ampere rating, and a combination/flush enclosure.

#### Descriptors

Category	Load Centers
GO Schedule	R7

#### Specifications

# Branch Circuit 250A	18
1" Space	18
1/2" Space	0
Amperage	150 A
Circuit Breaker Style	Plug-In
Device type	Main Lug
Door	Yes
Enclosure	Indoor
Enclosure Type	Indoor, Combination
Factory Installed Ground Kit	No
Feed	Either
Input/Output Voltage	208Y/120V ac
Interrupting Capacity Rating	65
Load Center Type	Standard
NEMA Rating	NEMA 1
Phase	3 Phase
Service & Voltage	3 Phase, 4 Wire, 208Y/120V ac
Wires	4 Wire

#### Classifications

UL/CUL Listing	UL
----------------	----

#### Dimensions

Depth	3.7 in
Height	24.7 in
Weight	23.6 lb

by ABB

## Dimensions

Width

14.0 in

## Publications

Title	Publication No.	Publication Type
<a href="#">Section 1 BuyLog: Load centers, meter combos, single socket metering, and residential circuit breakers</a> Guide includes product features, photos, product number selection guide, knockout drawings, wiring diagrams, accessories and options list. Only available on-line.	DET1023	Application and Technical

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.