



PRODUCT-DETAILS

THQL2190
CIRCUIT BRK 10KA QL 2P 120/240V 90A



Información General	
Alias comercial global	THQL2190
Tipo de producto extendido	THQL2190
Código de producto	1TQQ021090X0000
EAN	78316409922
Descripción corta	CIRCUIT BRK 10KA QL 2P 120/240V 90A
Descripción larga	Q line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications. The QL breakers are plug-in versions of the Q Line used for connection to load centers and lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions, can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications.

Cumplimiento de Materiales	
Estado de RoHS	No se necesita declaración
Información REACH	Sin datos: si el informe REACH aún no está disponible para un determinado producto
Plantilla de notificación de minerales de conflicto (CMRT)	9AKK108468A3363
Categoría RAEE	Producto que no está incluido en el ámbito de aplicación de los RAEE

Dimensiones	
Ancho del product	2.000 in
Alto del producto	3.375 in
Largo del product	3.000 in
Peso del product	0.700 lb

Clasificación	
Embalaje Nivel 1	caja 10 piece
Unidades	
Embalaje Nivel 1 Peso	7.200 lb

Certificados y Declaraciones (Número de Documento)	
Declaración de conformidad - CE	No declaration needed

Instalación	
Instrucciones y manuales	9AKK107680A9941

Descargas Populares	
Ficha técnica, información técnica	9AKK107680A9941

Clasificaciones y estándares externos	
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
UNSPSC	39121601
Clase electrónica	V11.0 : 27370409
Código de categoría granular de IDEA (IGCC)	4840 >> 2 Pole Standard Trip Plug-In Circuit Breakers

Categorías	
Productos y sistemas de baja tensión → NEMA Residential and Commercial Portfolio → Residential Breakers → MCB	

