

Weather Proof Cover - Plastic In-Use Weatherproof Cover, Single-Gang, Vrt/Hrz, 2.75" Clear

Item WP3100C



PRODUCT DESCRIPTION

Plastic In-Use Weatherproof Covers are easy to install and include adhered gasket, mounting screws, base, cover assembly and inserts to meet the needs of a variety of applications.

FEATURES

- ▶ Complies with 2020 NEC Article 314.15 for damp and wet locations
- ▶ UL Certified for Type 3R outdoor enclosures
- ▶ Meets requirements for cold impact testing: -60° F (-51° C)
- ▶ Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts
- ▶ 1/8" (3 mm) thick, pre-adhered neoprene gasket with slits for mounting screws
- ▶ Lockable hasp: All models accept up to 1/4" (6 mm) dia shank, except WP3100C & WP3103C accept up to 1/8" (3 mm) dia shank
- ▶ Three inserts provided with all models that allow each model to meet multiple installations (up to 16 configurations)
- ▶ Max cord size: (2) #14 AWG or (1) #12 AWG
- ▶ Mounts vertically or horizontally
- ▶ Warranty: 1-year limited

APPLICATIONS

- ▶ Receptacle Protection

TECHNICAL DATA

| General                             |                                                                      |
|-------------------------------------|----------------------------------------------------------------------|
| Model Number                        | WP3100C                                                              |
| Description                         | Plastic In-Use Weatherproof Cover, Single-Gang, Vrt/Hrz, 2.75" Clear |
| UPC Code                            | 078275106093                                                         |
| Brand                               | Intermatic                                                           |
| Country of Origin (Intermatic)      | MEXICO                                                               |
| Warranty Period                     | 1-Year limited                                                       |
| Mechanical Specifications           |                                                                      |
| Number of Included Inserts          | 3                                                                    |
| Insert Types Included               | WP17                                                                 |
| Hinge Direction                     | Vertical/Horizontal                                                  |
| Is Extra-Duty Rated                 | No                                                                   |
| Dimensions                          |                                                                      |
| Lockable Hasp Maximum Diameter (in) | 1/8                                                                  |
| Lockable Hasp Maximum Diameter (mm) | 3                                                                    |
| Product Dimensions (H x W x D) in   | 5.75 x 4 x 2.75 in                                                   |
| Accepted Cord Size Max              | 2x14 AWG; 1x12 AWG                                                   |
| Box Type                            | Single                                                               |
| Material Specifications             |                                                                      |
| Color                               | Clear                                                                |
| Weatherproof Cover Material         | UV Stabilized Plastic                                                |

| Packaging                             |                          |
|---------------------------------------|--------------------------|
| Shipping Weight (lbs)                 | 0.399                    |
| Unit Carton Dimensions (H x W x L) in | 2.639 x 4.069 x 5.759 in |
| Product Weight (kg)                   | 0.181                    |
| Product Weight (lbs)                  | 0.4                      |

| Standards and Certifications |       |
|------------------------------|-------|
| UL Certification             | cULus |
| California Proposition 65    | None  |
| RoHS Certification           | N     |

ACCESSORIES



WP17  
Single-Gang Inserts (3)