

Insulated Long Nose Pliers With Cutters



329 Insulated Industrial Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, $\stackrel{\triangle}{\sim}$ up to 1000 volt. Individually Tested. Drop-forged from special tool steel, cutters additionally induction hardened to approx. 64HRC, half-round jaws, serrated gripping surface.

Item	\leftarrow	Cutting Capacity					
No.	mm	Inch	Copper AWG	wt.			
32926	160	6.3	#10	.36			
32923	200	8.0	#8	.46			

Insulated BiCut SuperCut

Cutting capacity up to 3mm hardened piano wire



32936 Insulated Industrial BiCut SuperCut. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, up to 1000 Volt. Individually Tested. For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item	\leftarrow	\leftarrow		
No.	mm	Inch	lbs.	
32936	200	8.0	.78	

Insulated TriCut Strippers and Cutters



32944 Insulated Industrial TriCut Strippers & Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E and CSA, \Leftrightarrow up to 1000 Volt. Individually Tested. Induction hardened cutters & strippers. Cuts cable, strips cable, strips wire leads. Unique 3 in 1 design provides faster combined cutting and stripping. Strips AWG sizes #10 & #14.

Item	\leftarrow	\leftarrow		•	
No.	mm	Inch	AWG	wt.	
32944	170	6.7	#6	.58	

Insulated Bent Nose Pliers



↑ 1000volt

32928 Bent Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested. Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC. Ergo comfort grip with slip guard. Serrated gripping surface.

Item	\leftarrow	\longrightarrow	Cutting Capacity	-
No.	mm	Inch	Copper AWG	lbs.
32928	160	6.3	#10	.42
32901	200	8.0	#8	.48

Insulated Heavy Duty **Cable Cutters**



329 Insulated Industrial Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E and CSA, up to 1000 Volt. Individually Tested. Light, clean cutting ground precision cutting edges. Durable cutting is achieved through additional inductive hardening to approx. 64HRC. For cutting of copper and aluminum cables without crushing.

Item	\leftarrow	→	-		- →	
No.	mm	Inch	Ø	mm2	lbs.	
32902	180	6.3	20	60	.52	
32927	200	8.0	16	50	.78	

Insulated Crimpers



32945 Insulated Industrial Crimping Pliers. Insulation According to VDE 0682/ part 201, EN/IEC 60900, ASTM F-1505, NFPA70E and CSA, up to 1000 Volt. Individually Tested. Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening to 64HRC. Crimps 6 - 30 AWG Connectors.

Item	↔			↓		
No.	mm	Inch	mm2	AWG	wt.	
32945	180	7.0	0.25-2.5	6-30	.64	

Insulated Flat Nose Pliers

Two component Soft Grip handles



32941 Long Flat Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, \Leftrightarrow up to 1000 Volt. Individually Tested. **DIN ISO 5745** Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for Gripping and right-angle bending of wires and sheet metal parts.

Item	→	\leftarrow	•	
No.	mm	Inch	lbs.	
32941	160	6.3	.42	

Insulated Stripping



32947 Insulated Industrial Stripping Pliers. Insulation According to VDE, EN/IEC, ASTM, NFPA70E & CSA, 1000Volt Rated. Individually Tested. DIN ISO 5745 Made from Premium CV tool steel forgings. Induction hardened jaws and cutters to 64HRC. Spring & adjusting screw, for stripping up to Ø 5mm/#8 Awg.

Item	\leftarrow	→	Stripping Capacity	£.,
No.	mm	Inch	Copper AWG	wt.
32947	160	6.3	#8 - #28	.46