SQUARE D



Load center, QO, 3 phase, 20 spaces, 20 circuits, 125A fixed main lugs, NEMA1, gnd bar

QO320L125G

Product availability: Stock - Normally stocked in distribution

Main

Marketing Trade Name	QO
Product Type	Load Center
Cover Type	Order separately

Complementary

Tightening Torque	Main lugs 50 lb.in, AWG 6AWG 2/0, aluminium/copper Cover 20 lb.in	
PoN Convertible Mains (lugs)	Fixed Mains (lugs)	
Rated Current	125 A	
Number of Spaces	20	
Max Short Circuit Current Rating	65 kA	
Maximum Number of Single Pole Circuits	20	
Maximum Number of Tandem Breakers	0	
Number of Phases	3 phase 4 wires 3 phase 3 wires	
Voltage Rating	208Y/120 V AC 240/120 V delta AC 240 V delta AC	
Wire Size	AWG 6AWG 2/0 aluminium/copper	
Ground Bar	Grounding bar included (not installed)	
Electrical Connection	Lugs	
Busbar Material	Tin plated copper: busbar	
Enclosure Material	Welded sheet steel	
Surface Finish	Baked enamel Gray	
Box Number	7	
Height	20.9 in (531 mm)	
Width	14.3 in (362 mm)	

Environment

Enclosure Rating	NEMA 1 indoor enclosure	
Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)	
Product Certifications	UL Listed	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ordering and shipping details

Category	US10DE300011	
Discount Schedule	0DE3	
GTIN	785901295310	
Returnability	Yes	
Country of origin	US	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	4.30 in (10.922 cm)	
Package 1 Width	14.50 in (36.830 cm)	
Package 1 Length	22.00 in (55.880 cm)	
Package 1 Weight	12.950 lb(US) (5.874 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	45	
Package 2 Height	40.00 in (101.600 cm)	
Package 2 Width	40.00 in (101.600 cm)	
Package 2 Length	48.00 in (121.920 cm)	
Package 2 Weight	583.000 lb(US) (264.444 kg)	

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	45
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No