

# Circuit breaker, FA, 480V, 20A, 2 pole

FAL24020

! Discontinued on: Oct 5, 2021

#### Main

Product or Component Type	Circuit breaker
Trip Unit Technology	Thermal-magnetic

## Complementary

Line Rated Current	20 A
Number of Poles	2P
Breaking capacity code	A
Mounting Mode	Unit mount
Magnetic Hold Current	275 A
Magnetic Tripping Current	600 A
Electrical connection	Lugs, load Lugs, line
Terminal identifier	AL50FA
Phase connection	ABC
Height	6.4 in (162.6 mm)
Width	3 in (76.2 mm)
Depth	4.13 in (104.90 mm)
Circuit breaker application	HACR rated

#### **Environment**

Certifications	UL Listed
	CSA

## Ordering and shipping details

Category	00902-FAL 480V BREAKERS & SWITCH	
Discount Schedule	DE2	
Returnability	No	
Country of origin	MX	

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Height	4.69 in (11.9 cm)
Package 1 Width	6.18 in (15.7 cm)
Package 1 Length	9.80 in (24.9 cm)
Package 1 Weight	3.060 lb(US) (1.388 kg)

# **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability

$ \bigcirc  \bigcirc $	<b>Environmental</b>	footprint

Environmental Disclosure

Product Environmental Profile

#### **Use Better**

Materials and Substances	
Packaging without single use plastic	Yes
EU RoHS Directive	Not applicable, out of EU RoHS legal scope
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause Birth Defects or other reproductive harm.For more information go to www.p65warnings.ca.gov