

Certificate of Compliance

Certificate Number:
E536376

Report Reference:
E536376-20250103

Issue Date:
2025-JANUARY-03

Issued to:

SYLVANIA (GUANG ZHOU) LIGHTING CO., LTD.
Room 1904-1907, Guangzhou Jiayu Center, No.769 Huacheng Avenue, Tianhe District, Guangzhou, China Guangzhou, Guangdong 510627
China

This certificate confirms that representative samples of:

LIGHT-EMITTING-DIODE RECESSED LUMINAIRES

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 1598 - Luminaires

Additional Information:

See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Certificate of Compliance

Certificate Number: E536376
Report Reference: E536376-20250103
Issue Date: 2025-01-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Products Covered	Product Designation	Nomenclature
LED recessed luminaire	LED Panel 40W 2x2 3CCT UL X-XTTZZUU	1st X represent Flicker, can be D or F, D=Flicker-free driver, F=Flicker driver 2nd X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	LED Panel 30/40W 1X4 UL- X-YYYYZZUU	Where 1st X represent Flicker, can be D or F, D=Flicker-free driver, F=Flicker driver 2nd X represent DLC version can be S or P, S=standard, P=Premium YY can be any number represent CCT, such as 35=3500K 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	LED Panel 40W 2x2 UL-X-XYZZZUU	Where 1st X represent Flicker, can be D or F, D=Flicker-free driver, F=Flicker driver 2nd X represent DLC version can be S or P, S=standard, P=Premium YY can be any number represent CCT, such as 35=3500K 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	LED Panel 50W 2x4 UL- X-XYZZZUU	Where 1st X represent Flicker, can be D or F, D=Flicker-free driver, F=Flicker driver 2nd X represent DLC version can be S or P, S=standard, P=Premium YY can be any number represent CCT, such as 35=3500K 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	LED Panel 40W 1X4 3CCT UL EMERG-XTTZZUU	Where X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	LED Panel 40W 2x2 3CCT EMERG UL-XTTZZUU	Where X represent DLC version can be S or P, S=standard, P=Premium



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number: E536376
Report Reference: E536376-20250103
Issue Date: 2025-JANUARY-03

		TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	LED Panel 50W 2x4 3CCT UL EMERG-XTTZZUU	Where X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	UL Back-lit 1x4 DIM- XTTZZUU EMERG	Where X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	UL Back-lit 2x2 DIM EMERG-XTTZZUU	Where X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	LED Panel 40W 1X4 3CCT UL- X-XTTZZUU	Where 1st X represent Flicker, can be D or F, D=Flicker-free driver, F=Flicker driver 2nd X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	LED Panel 50W 2x4 3CCT UL- X-XTTZZUU	Where 1st X represent Flicker, can be D or F, D=Flicker-free driver, F=Flicker driver 2nd X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number: E536376
Report Reference: E536376-20250103
Issue Date: 2025-JANUARY-03

LED recessed luminaire	UL Back-lit 2x2 DIM-X-XTTZUU	Where 1st X represent Flicker, can be D or F, D=Flicker-free driver, F=Flicker driver 2nd X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	UL Back-lit 2x4 DIM- X-XTTZUU	Where 1st X represent Flicker, can be D or F, D=Flicker-free driver, F=Flicker driver 2nd X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use
LED recessed luminaire	UL Back-lit 2x4 DIM- XTTZZUU EMERG	Where X represent DLC version can be S or P, S=standard, P=Premium TT can be any letter, represent selectable power and color temperature. 1st Z can be any letter, represents driver manufacturer 2nd Z represent UGR, can be N or U, N=UGR<22, U=UGR<19 1st U represent LED brand, can be any letter or blank 2nd U can be blank or any letter, for commercial use



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

